

## Gathurst Multi

## FIND OUT MORE ABOUT OUR BRICK RANGE

T: 0161 641 3579

W: www.manchesterbrick.com

PRODUCT TECHNICAL INFORMATION	
MANCHESTER BRICK CODE	MBS00170
CONFIGURATION	Stock
COLOUR	Red
APPEARANCE	Handmade
SIZE Metric	214mm x 101mm x 65mm
PACK SIZE	620
INDIVIDUAL DRY BRICK WEIGHT	2.26kg

TECHNICAL PROPERTIES TO BS EN 771-1	
ТҮРЕ	Handmade
GROSS DRY DENSITY (KG/M <sup>3</sup> /TOLERANCE)	1630kg/m <sup>3</sup> (D1)
ACTIVE SOLUBLE SALTS	S2
COMPRESSIVE STRENGTH	$\geq 20 N/mm^2$
THERMAL CONDUCTIVITY	<=0,60 W/m.K
SIZE TOLERANCE (MEAN/RANGE)	T2/R1
DURABILITY DESIGNATION	F2
WATER ABSORPTION	<=14%m/md
INITIAL RATE OF WATER ABSORPTION (Non coated)	1.5 - 4.0kg/m <sup>2</sup> .min (IW3)
INITIAL RATE OF WATER ABSORPTION (Coated)	0.5 - 1.5kg/m².min (IW2)
REACTION TO FIRE	A1

Technical data correct at time of issue. Individual dry brick weights can vary and are for guidance only. Any questions regarding this data should be referred to the Manchester Brick Technical Department. Due to the limitations of screen and print colour representation of product images it is advised that brick samples are viewed prior to ordering.

CE BMF



